

PMI-MASTER Pro2

Ultimate metals analysis on the go



Our range of mobile optical emission spectrometers for PMI QA/QC and recycling

HITACHI

If you're trying to prevent grade mix-ups of incoming and outgoing materials, conduct material verification and quality control, or maximize profits in a scrapyard then we've got the solution for you. With the PMI-MASTER Pro2, you'll have confidence that you're getting the analytical performance you need to make the right decisions.

Reliable carbon analysis

Accurate carbon analysis from L grade stainless steels to low alloy and carbon steels. You can measure carbon and boron with any of our spark probes. With a UVTOUCH probe, you can measure phosphorous, sulfur and boron as well as nitrogen in duplex steels.

This is why spark OES is the most trusted and widely used method for creation and verification of MTRs (mill testing reports) in the world. Our optical emission spectrometers also meet the world most stringent PMI metallurgical alloy chemistry testing requirements including API 5L, ASME section IX B&PV, ISO 17025 and A2LA standards.

Why the PMI-MASTER Pro2 is the perfect tool for your business

1. Ready to go

Short warm up time means you're up and running in no time.

2. Long battery life

Cordless on-site operation allows up to 750 measurements in an eight hour shift.

3. Low argon consumption

Concentric electrode shielding argon flow technology reduces air gaps and optimizes gas flow.

4. Choice of probes

Different probes allow flexible application work: arc, spark a combination of both, and UVTOUCH.

5. Universal adaptors

Rubber seal for concave and convex surfaces allows analysis of almost any sample including complex shapes and irregular geometries, wires (min. 1 mm thin).

6. Grade database included

The largest metals database for fast and easy grade identification is preinstalled with more than 12 million records for over 340,000 materials from 69 countries and standards. Eliminate time-consuming research.

Made in Germany

Our instruments are purpose designed and tested for the most demanding environments. This means we are able to deliver ultimate quality control with no compromise on our products.

A choice of probes



UVT TOUCH – most popular choice

Choose for low detection level of carbon, phosphorous, sulfur, boron, arsenic and tin in low alloy and stainless steels. It also offers L grade separation and nitrogen in duplex steels.

Extended wave length range of probe's optic – 165 to 210 nm. The probe includes a screen for easy viewing of analysis results and control of main spectrometer functions. Extended wave length range of probe's optic – 165 to 210 nm.



SPARK

Choose for reliable spark analysis of standard elements including carbon. Robust design.

Various sample adapters available.



COMBINATION OF ARC AND SPARK

The best of both worlds, your probe will include both arc and spark modes.

ARC

Choose for sorting and grade verification of metals with arc in air atmosphere, especially tubes, wires and small parts.

No argon needed and results in three seconds.

Our services

Our global network of service hubs offers a full range of technical support to keep you up and running.

Telephone help desks

For a fast response to your problem.

Online diagnostics

In-depth support over the internet.

Preventative maintenance

Ensures your analyzer produces the right result year after year.

Training

Understand your analyzer and its features.

Extended warranties

Avoid unplanned costs.

Consumables and accessories

From sample preparation to calibration standards.

Repairs

Fast and efficient turnaround.



Other Products

We've been providing industrial analysis products for over 60 years.

Handheld LIBS

latest technology for 1-second alloy identification with no X-rays.

Handheld XRF

for fast, reliable, non-destructive identification and analysis of alloys.

More information

To find out more about the PMI-MASTER range of analyzers, visit www.hitachi-hightech.com/hha

Contact one of our experts today at:

contact@hitachi-hightech.com

to get a quote.

This publication is the copyright of Hitachi High-Tech Analysis Corporation and provides outline information only, which (unless agreed by the company in writing) may not be used, applied or reproduced for any purpose or form part of any order or contract or regarded as the representation relating to the products or services concerned. Hitachi High-Tech Analysis Corporation's policy is one of continued improvement. The company reserves the right to alter, without notice the specification, design or conditions of supply of any product or service. Hitachi High-Tech Analysis Corporation acknowledges all trademarks and registrations.

© Hitachi High-Tech Analysis Corporation, 2025 All rights reserved.

Part number: 10017305
September 2025

HITACHI